



INSTRUCTIONS FOR FINDING YOUR SETTING

2008 TOURING MODELS

New Fuelpak settings are continually being developed, if you do not find your application please visit fuelpakfi.com to search for your specific application information. If you need further help you may email: tech@fuelpakfi.com or call (562) 921-0071.

1

Locate the appropriate section for your configuration.

- Stock Engine With Vance & Hines Exhaust
- Modified Engine With Vance & Hines Exhaust
- Stock Engine With Other Manufacturer Exhaust
- Modified Engine With Other Manufacturer Exhaust

2

Now locate your specific configuration from the choices listed. (Note: you must know the ECU LEVEL of your bike as each setting is directly related to this information. If you have purchased a used bike or do not know if the ECU has been modified, visit your local Harley-Davidson dealership to have your ECU analyzed. Your bike will not run properly if you do not install the proper Fuelpak Setting for your application.)

3

Fuelpak is designed to work in conjunction with a High Performance Air Filter. (Note: Fuelpak does not provide settings for applications that do not have a High Performance Air Filter installed.)

4

Once you have located your setting, match the SETTING NUMBER for your application to the same number on the SETTING VALUES pages. Please see example on right.

5

Now that you have found your setting, you are ready to install Fuelpak. See INSTALLATION INSTRUCTIONS to install the Fuelpak module on your bike.

6

Please follow the instructions carefully. See INSTALLATION INSTRUCTIONS for more information on installing your Fuelpak unit.


EXAMPLE:

Here's an example of how to look up your application:

IF YOU HAVE:

- 2008 Harley-Davidson® Touring Model
- Stock 96 cu. in. Motor
- Stock ECU Level
- Standard Baffles
- High Performance Air Filter
- Stock Head Pipes
- Vance & Hines Basic Slip-Ons

YOUR VALUE REFERENCE IS: FP-1720



NOTICE: Fuelpak is intended for racing or off-highway use only, and is not legal for sale or use in California on pollution-controlled vehicles.



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	BASIC SLIP-ONS	16725	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1747
TOURING	BASIC SLIP-ONS	16725	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1720
TOURING	BASIC W/DUALS	16725/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1763
TOURING	BASIC W/DUALS	16725/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1726
TOURING	BIG RADIUS	26039	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1755
TOURING	BIG RADIUS	26039	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1725
TOURING	BIG SHOT DUALS	17925	2008	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1771
TOURING	BIG SHOT DUALS	17925	2008	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1769
TOURING	BIG SHOT DUALS	17925	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1770
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1731
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK	QUIET	HIGH FLOW	FP-1729
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1730
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1754
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1749
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1757
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1724
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK	QUIET	HIGH FLOW	FP-1722
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1723
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1771
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1769
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1770
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1731
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK	QUIET	HIGH FLOW	FP-1729
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1730
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2255
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2274
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STOCK	NO BAFFLE	HIGH FLOW	FP-2254
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2273
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2294
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2295
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STOCK	NO BAFFLE	HIGH FLOW	fp-2293
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2292



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	MONSTER OVAL SLIP-ONS	16745	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2256
TOURING	MONSTER OVAL SLIP-ONS	16745	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2211
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2132
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2291
TOURING	OVAL SLIP-ONS	16727	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1718
TOURING	OVAL SLIP-ONS	16727	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1717
TOURING	OVAL W/DUALS	16727/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1762
TOURING	OVAL W/DUALS	16727/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1719
TOURING	PRO PIPE BP	17543	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1758
TOURING	PRO PIPE BP	17543	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1727
TOURING	SLASH-CUT SLIP-ONS	16719	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1750
TOURING	SLASH-CUT SLIP-ONS	16719	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1721
TOURING	SLASH-CUT W/DUALS	16719/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1759
TOURING	SLASH-CUT W/DUALS	16719/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1728
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1750
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1721
TOURING	STRAIGHT-CUT W/DUALS	16721/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1759
TOURING	STRAIGHT-CUT W/DUALS	16721/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1728
TOURING	TAPERED SLASH-CUT SLIP-ONS	16741	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1757
TOURING	TAPERED SLASH-CUT SLIP-ONS	16741	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1723
TOURING	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1770
TOURING	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1730
TOURING	TURNDOWN SLIP-ONS	16723	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1750
TOURING	TURNDOWN SLIP-ONS	16723	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1721
TOURING	TURNDOWN W/DUALS	16723/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1759
TOURING	TURNDOWN W/DUALS	16723/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1728
TOURING SE 110	BASIC SLIP-ONS	16725	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1872
TOURING SE 110	BASIC W/DUALS	16725/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1885
TOURING SE 110	BIG RADIUS	26039	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1883
TOURING SE 110	BIG SHOT DUALS	17927	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-1895
TOURING SE 110	BIG SHOT DUALS	17927	2008	110	STOCK	QUIET	HIGH FLOW	FP-1894
TOURING SE 110	BIG SHOT DUALS	17927	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1893



STOCK ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING SE 110	FISHTAIL SLIP-ONS	16731	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-1880
TOURING SE 110	FISHTAIL SLIP-ONS	16731	2008	110	STOCK	QUIET	HIGH FLOW	FP-1878
TOURING SE 110	FISHTAIL SLIP-ONS	16731	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1877
TOURING SE 110	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-1895
TOURING SE 110	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	110	STOCK	QUIET	HIGH FLOW	FP-1894
TOURING SE 110	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1893
TOURING SE 110	MONSTER OVAL SLIP-ONS	16745	2008	110	STOCK	STANDARD	HIGH FLOW	FP-2134
TOURING SE 110	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-2133
TOURING SE 110	OVAL SLIP-ONS	16727	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1871
TOURING SE 110	OVAL W/DUALS	16727/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1884
TOURING SE 110	PRO PIPE BP	17543	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1881
TOURING SE 110	SLASH-CUT SLIP-ONS	16719	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1876
TOURING SE 110	SLASH-CUT W/DUALS	16719/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1886
TOURING SE 110	STRAIGHT-CUT SLIP-ONS	16721	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1876
TOURING SE 110	STRAIGHT-CUT W/DUALS	16721/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1886
TOURING SE 110	TAPERED SLASH-CUT SLIP-ONS	16741	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1877
TOURING SE 110	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1893
TOURING SE 110	TURNDOWN SLIP-ONS	16723	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1876
TOURING SE 110	TURNDOWN W/DUALS	16723/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1886



MODIFIED ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	BASIC SLIP-ONS	16725	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1945
TOURING	BASIC SLIP-ONS	16725	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1986
TOURING	BASIC SLIP-ONS	16725	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1783
TOURING	BASIC W/DUALS	16725/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1975
TOURING	BASIC W/DUALS	16725/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2081
TOURING	BASIC W/DUALS	16725/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1806
TOURING	BIG RADIUS	26039	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1973
TOURING	BIG RADIUS	26039	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2084
TOURING	BIG RADIUS	26039	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1800
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1977
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1978
TOURING	BIG SHOT DUALS	17927	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2022
TOURING	BIG SHOT DUALS	17917	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	NO BAFFLE	HIGH FLOW	FP-2083
TOURING	BIG SHOT DUALS	17917	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET	HIGH FLOW	FP-2082
TOURING	BIG SHOT DUALS	17927	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1951
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-1809
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-1807
TOURING	BIG SHOT DUALS	17925	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1808
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1971
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1970
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1969
TOURING	FISHTAIL SLIP-ONS	16731	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	NO BAFFLE	HIGH FLOW	FP-1989
TOURING	FISHTAIL SLIP-ONS	16731	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET	HIGH FLOW	FP-2108
TOURING	FISHTAIL SLIP-ONS	16731	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1988
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-1788
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-1785
TOURING	FISHTAIL SLIP-ONS	16731	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1790



MODIFIED ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose **STOCK** for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	FISHTAIL SLIP-ONS W/DUALS	16741/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1977
TOURING	FISHTAIL SLIP-ONS W/DUALS	16741/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1978
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2022
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	NO BAFFLE	HIGH FLOW	FP-2083
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET	HIGH FLOW	FP-2082
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1951
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-1809
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-1807
TOURING	FISHTAIL SLIP-ONS W/DUALS	16731/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1808
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2248
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2245
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	NO BAFFLE	HIGH FLOW	FP-2281
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2282
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2246
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-2196
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2193
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	NO BAFFLE	HIGH FLOW	FP-2280
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2279
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-2195
TOURING	INDY SERIES SLIP-ONS W/DUALS	75-104-10/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2194
TOURING	MONSTER OVAL SLIP-ONS	16745	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2140
TOURING	MONSTER OVAL SLIP-ONS	16745	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2135
TOURING	MONSTER OVAL SLIP-ONS	16745	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2139
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2137
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2136
TOURING	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2138
TOURING	OVAL SLIP-ONS	16727	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1944



MODIFIED ENGINE TOURING MODEL WITH VANCE & HINES EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	OVAL SLIP-ONS	16727	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1987
TOURING	OVAL SLIP-ONS	16727	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1782
TOURING	OVAL W/DUALS	16727/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1974
TOURING	OVAL W/DUALS	16727/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1952
TOURING	OVAL W/DUALS	16727/16737	2008	103	HIGH COMP 10.5:1	SE-258	SE PERF HEADS	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2107
TOURING	OVAL W/DUALS	16727/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1804
TOURING	PRO PIPE BP	17543	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1972
TOURING	PRO PIPE BP	17543	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2085
TOURING	PRO PIPE BP	17543	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1803
TOURING	PYTHON DRESSER SLIP-ONS	41505	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1782
TOURING	PYTHON DRESSER SLIP-ONS	41501	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1782
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1804
TOURING	SLASH-CUT SLIP-ONS	16719	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1946
TOURING	SLASH-CUT SLIP-ONS	16719	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1985
TOURING	SLASH-CUT SLIP-ONS	16719	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1798
TOURING	SLASH-CUT W/DUALS	16719/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1976
TOURING	SLASH-CUT W/DUALS	16719/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2080
TOURING	SLASH-CUT W/DUALS	16719/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1805
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1946
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1985
TOURING	STRAIGHT-CUT SLIP-ONS	16721	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1798
TOURING	STRAIGHT-CUT W/DUALS	16721/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1976
TOURING	STRAIGHT-CUT W/DUALS	16721/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2080
TOURING	STRAIGHT-CUT W/DUALS	16721/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1805
TOURING	TAPERED SLASH-CUT SLIP-ONS	16741	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1969
TOURING	TAPERED SLASH-CUT SLIP-ONS	16741	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1988
TOURING	TAPERED SLASH-CUT SLIP-ONS	16741	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1790



**MODIFIED ENGINE
TOURING MODEL
WITH VANCE & HINES EXHAUST**

**SETTING
REFERENCE**

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2022
TOURING	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1951
TOURING	TAPERED SLASH-CUT SLIP-ONS W/DUALS	16741/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1808
TOURING	TURNDOWN SLIP-ONS	16723	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1946
TOURING	TURNDOWN SLIP-ONS	16723	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1985
TOURING	TURNDOWN SLIP-ONS	16723	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1798
TOURING	TURNDOWN W/DUALS	16723/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1976
TOURING	TURNDOWN W/DUALS	16723/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2080
TOURING	TURNDOWN W/DUALS	16723/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1805
TOURING SE 110	MONSTER OVAL SLIP-ONS W/DUALS	16745/16737	2008	110	FLAT TOP 9.3:1	AN-54H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2219



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	CRUSHER SLIP-ONS	499	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2257
TOURING	CRUSHER SLIP-ONS	499	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2272
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2296
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2297
TOURING	PYTHON DRESSER SLIP-ONS	41505	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1718
TOURING	PYTHON DRESSER SLIP-ONS	41501	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1718
TOURING	PYTHON DRESSER SLIP-ONS	41501	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1717
TOURING	PYTHON DRESSER SLIP-ONS	41505	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1717
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1762
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41505/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1762
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1719
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41505/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1719
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1771
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1769
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1770
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK	NO BAFFLE	HIGH FLOW	FP-1731
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK	QUIET	HIGH FLOW	FP-1729
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1730
TOURING	RINEHART 2-1	R5-3395CG	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1801
TOURING	RINEHART 2-1	R5-3395CG	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1776
TOURING	RINEHART TRUE DUALS	R5-2220CG-DS	2008	96	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1778
TOURING	RINEHART TRUE DUALS	R5-2220CG DS	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1774
TOURING	RINEHART TRUE DUALS	R5-2220CG-DS	2008	96	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1779
TOURING	RINEHART TRUE DUALS	R5-2220CG DS	2008	96	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1752
TOURING	RINEHART TRUE DUALS	R5-2220CG DS	2008	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1751
TOURING	RUSH SLIP-ON	15303-250	2008	96	STAGE1 1584 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-1791
TOURING	RUSH SLIP-ON	15303-150	2008	96	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1784
TOURING	RUSH SLIP-ON	15303-200	2008	96	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1786
TOURING	RUSH SLIP-ON	15303-175	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1747
TOURING	RUSH SLIP-ON	15303-225	2008	96	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1787
TOURING	RUSH SLIP-ON	15303-250	2008	96	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1767
TOURING	RUSH SLIP-ON	15303-150	2008	96	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1764



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RUSH SLIP-ON	15303-200	2008	96	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1766
TOURING	RUSH SLIP-ON	15303-175	2008	96	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1720
TOURING	RUSH SLIP-ON	15303-225	2008	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1768
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16737	2008	96	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-1777
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16737	2008	96	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-1778
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1774
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2008	96	STAGE1 1584 LEGAL	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1763
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	96	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1779
TOURING	RUSH SLIP-ON W/DUALS	15303-350/26737	2008	96	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1746
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16737	2008	96	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1753
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16737	2008	96	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1752
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2008	96	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1726
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	96	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1751
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2276
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2275
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STOCK	QUIET	HIGH FLOW	FP-2277
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2278
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2289
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2290
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STOCK	QUIET	HIGH FLOW	FP-2288
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-2287
TOURING	SE PRO PERF MUFFLER	65115-98B	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1799
TOURING	SE PRO PERF MUFFLER	65115-98B	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1761
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1773
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1744
TOURING	SE STREET PERF MUFFLERS W/DUALS	80677-08/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1780
TOURING	SE STREET PERF MUFFLERS W/DUALS	80677-08/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1756
TOURING	SE STREET PERF SLIP-ON MUFFLERS	80677-08	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1781
TOURING	SE STREET PERF SLIP-ON MUFFLERS	80677-08	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1760
TOURING	STOCK MUFFLERS		2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1781
TOURING	STOCK MUFFLERS		2008	96	STOCK	STANDARD	HIGH FLOW	FP-1760
TOURING	STOCK MUFFLERS W/DUALS	/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1780



STOCK ENGINE TOURING MODEL WITH OTHER MANUFACTURER EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	ECU LEVEL *	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	STOCK MUFFLERS W/DUALS	/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1756
TOURING	THUNDERCONE SLIP-ON	1061	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1789
TOURING	THUNDERCONE SLIP-ON	1061	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1765
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1772
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1745
TOURING	THUNDERHEADER 2-1	1024	2008	96	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1802
TOURING	THUNDERHEADER 2-1	1024	2008	96	STOCK	STANDARD	HIGH FLOW	FP-1775
TOURING SE 110	CRUSHER SLIP-ONS	499	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1915
TOURING SE 110	CRUSHER SLIP-ONS W/DUALS	499/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1922
TOURING SE 110	PYTHON DRESSER SLIP-ONS	41505	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1871
TOURING SE 110	PYTHON DRESSER SLIP-ONS	41501	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1871
TOURING SE 110	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1884
TOURING SE 110	PYTHON DRESSER SLIP-ONS W/DUALS	41505/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1884
TOURING SE 110	PYTHON MAMBA DUALS	41713	2008	110	STOCK	NO BAFFLE	HIGH FLOW	FP-1895
TOURING SE 110	PYTHON MAMBA DUALS	41713	2008	110	STOCK	QUIET	HIGH FLOW	FP-1894
TOURING SE 110	PYTHON MAMBA DUALS	41713	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1893
TOURING SE 110	RINEHART 2-1	R5-3395CG	2008	110	STOCK	STANDARD	HIGH FLOW	fp-1927
TOURING SE 110	RINEHART TRUE DUALS	R5-2220CG	2008	110	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1924
TOURING SE 110	RINEHART TRUE DUALS	R5-2220CG	2008	110	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1926
TOURING SE 110	RINEHART TRUE DUALS	R5-2220CG	2008	110	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1925
TOURING SE 110	RUSH SLIP-ON	15303-250	2008	110	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1916
TOURING SE 110	RUSH SLIP-ON	15303-150	2008	110	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1919
TOURING SE 110	RUSH SLIP-ON	15303-200	2008	110	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1918
TOURING SE 110	RUSH SLIP-ON	15303-175	2008	110	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1872
TOURING SE 110	RUSH SLIP-ON	15303-225	2008	110	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1917
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-250/16737	2008	110	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1924
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-200/16737	2008	110	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1926
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-175/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1885
TOURING SE 110	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	110	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1925
TOURING SE 110	SE STREET PERF MUFFLERS W/DUALS	80677-08/16737	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1921
TOURING SE 110	SE STREET PERF TOURING MUFFLERS	80677-08	2008	110	STOCK	STANDARD	HIGH FLOW	FP-1914
TOURING SE 110	STOCK MUFFLERS		2008	110	STOCK	STANDARD	HIGH FLOW	FP-1914



MODIFIED ENGINE TOURING MODEL WITH OTHER MANUFACTURERS EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	CRUSHER SLIP-ONS	499	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2043
TOURING	CRUSHER SLIP-ONS	499	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2109
TOURING	CRUSHER SLIP-ONS	499	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1932
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2037
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2114
TOURING	CRUSHER SLIP-ONS W/DUALS	499/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1931
TOURING	INDY SERIES SLIP-ONS	75-104-10	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-2247
TOURING	PYTHON DRESSER SLIP-ONS	41501	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1944
TOURING	PYTHON DRESSER SLIP-ONS	41505	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1944
TOURING	PYTHON DRESSER SLIP-ONS	41501	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1987
TOURING	PYTHON DRESSER SLIP-ONS	41505	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1987
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1974
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41505/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-1974
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1952
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41505/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1952
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41501/16737	2008	103	HIGH COMP 10.5:1	SE-258	SE PERF HEADS	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2107
TOURING	PYTHON DRESSER SLIP-ONS W/DUALS	41505/16737	2008	103	HIGH COMP 10.5:1	SE-258	SE PERF HEADS	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2107
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	NO BAFFLE	HIGH FLOW	FP-1977
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-1978
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2022
TOURING	PYTHON MAMBA DUALS	41713	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	NO BAFFLE	HIGH FLOW	FP-2083
TOURING	PYTHON MAMBA DUALS	41713	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET	HIGH FLOW	FP-2082
TOURING	PYTHON MAMBA DUALS	41713	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1951
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	NO BAFFLE	HIGH FLOW	FP-1809
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-1807
TOURING	PYTHON MAMBA DUALS	41713	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1808
TOURING	RINEHART 2-1	R5-3395CG	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2036



MODIFIED ENGINE TOURING MODEL WITH OTHER MANUFACTURERS EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose **STOCK** for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RINEHART 2-1	R5-3395CG	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2086
TOURING	RINEHART 2-1	R5-3395CG	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1838
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-2039
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2041
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2040
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	103	FLAT TOP 9.3:1	STOCK	STOCK	STOCK	STAGE1 1690 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2218
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-2091
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2089
TOURING	RINEHART TRUE DUALS	R5-2220CG	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2090
TOURING	RINEHART TRUE DUALS	R5-2220CG DS	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1829
TOURING	RINEHART TRUE DUALS	R5-2220CG DS	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1827
TOURING	RINEHART TRUE DUALS	R5-2220CG DS	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1828
TOURING	RUSH SLIP-ON	15303-250	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-2045
TOURING	RUSH SLIP-ON	15303-150	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-2048
TOURING	RUSH SLIP-ON	15303-200	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2047
TOURING	RUSH SLIP-ON	15303-175	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1945
TOURING	RUSH SLIP-ON	15303-225	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2046
TOURING	RUSH SLIP-ON	15303-250	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-2095
TOURING	RUSH SLIP-ON	15303-150	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-2111
TOURING	RUSH SLIP-ON	15303-200	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2106
TOURING	RUSH SLIP-ON	15303-175	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-1986
TOURING	RUSH SLIP-ON	15303-225	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2096
TOURING	RUSH SLIP-ON	15303-250	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1839
TOURING	RUSH SLIP-ON	15303-150	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1842
TOURING	RUSH SLIP-ON	15303-200	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1841
TOURING	RUSH SLIP-ON	15303-175	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1783
TOURING	RUSH SLIP-ON	15303-225	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1840



MODIFIED ENGINE TOURING MODEL WITH OTHER MANUFACTURERS EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-2039
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-2042
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2041
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 1 3/4 INCH	HIGH FLOW	FP-1975
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2040
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	103	FLAT TOP 9.3:1	STOCK	STOCK	STOCK	STAGE1 1690 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2218
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	LOUD 2 1/2 INCH	HIGH FLOW	FP-2091
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET 1 1/2 INCH	HIGH FLOW	FP-2088
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	QUIET 2 INCH	HIGH FLOW	FP-2089
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2081
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD 2 1/4 INCH	HIGH FLOW	FP-2090
TOURING	RUSH SLIP-ON W/DUALS	15303-250/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	LOUD 2 1/2 INCH	HIGH FLOW	FP-1829
TOURING	RUSH SLIP-ON W/DUALS	15303-150/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 1 1/2 INCH	HIGH FLOW	FP-1826
TOURING	RUSH SLIP-ON W/DUALS	15303-200/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET 2 INCH	HIGH FLOW	FP-1827
TOURING	RUSH SLIP-ON W/DUALS	15303-175/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1806
TOURING	RUSH SLIP-ON W/DUALS	15303-225/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD 2 1/4 INCH	HIGH FLOW	FP-1828
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2243
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	OPTIONAL QUIET	HIGH FLOW	FP-2113
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2112
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2242
TOURING	S&S STAINLESS PERFORMANCE OVAL	106-0116	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2241
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	QUIET	HIGH FLOW	FP-2238
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2237
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	OPTIONAL QUIET	HIGH FLOW	FP-2116
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2115
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	QUIET	HIGH FLOW	FP-2239
TOURING	S&S STAINLESS PERFORMANCE OVAL W/DUALS	106-0116/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2240



MODIFIED ENGINE TOURING MODEL WITH OTHER MANUFACTURERS EXHAUST

SETTING REFERENCE

*Please note: If your Electronic Control Unit (ECU) has not been modified by the dealer, then choose STOCK for your ECU LEVEL.
**Please note: All settings reflect stock cams.

BIKE MODEL	PIPE MODEL	PIPE P/N	BIKE YEAR	ENGINE SIZE	PISTON	CAMSHAFT	HEADS	THROTTLEBODY	ECU LEVEL*	BAFFLE TYPE	HIGH-PERF AIR FILTER	SETTING NUMBER
TOURING	SE PRO PERF MUFFLER	65115-98B	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1844
TOURING	SE PRO PERF MUFFLER W/DUALS	65115-98/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1810
TOURING	SE STREET PERF MUFFLERS W/DUALS	80677-08/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2038
TOURING	SE STREET PERF MUFFLERS W/DUALS	80677-08A/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2093
TOURING	SE STREET PERF MUFFLERS W/DUALS	80677-08/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1812
TOURING	SE STREET PERF TOURING MUFFLERS	80677-08	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2044
TOURING	SE STREET PERF TOURING MUFFLERS	80677-08A	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2094
TOURING	SE STREET PERF TOURING MUFFLERS	80677-08	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1845
TOURING	STOCK MUFFLERS		2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2044
TOURING	STOCK MUFFLERS		2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2094
TOURING	STOCK MUFFLERS	OEM	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1845
TOURING	STOCK MUFFLERS W/DUALS	/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2038
TOURING	STOCK MUFFLERS W/DUALS	/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2093
TOURING	STOCK MUFFLERS W/DUALS	/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1812
TOURING	THUNDERCONE SLIP-ON	1061	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2110
TOURING	THUNDERCONE SLIP-ON	1061	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1843
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2023
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2092
TOURING	THUNDERCONE SLIP-ON W/DUALS	1061/16737	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1811
TOURING	THUNDERHEADER 2-1	1024	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STAGE1 1584 LEGAL	STANDARD	HIGH FLOW	FP-2035
TOURING	THUNDERHEADER 2-1	1024	2008	103	FLAT TOP 9.3:1	SE-255	STOCK	STOCK	STAGE2 1690 LEGAL	STANDARD	HIGH FLOW	FP-2087
TOURING	THUNDERHEADER 2-1	1024	2008	96	STOCK 9.2:1	AN-26H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-1837
TOURING SE 110SAMSON SILVER BULLET SLIP-ON W/DUALS	M-131/16737		2008	110	FLAT TOP 9.3:1	AN-54H	STOCK	STOCK	STOCK	STANDARD	HIGH FLOW	FP-2220



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22						ADDITIONAL MODES WHEN REQUIRED									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-1717	10	10	10	5	30	19	26	12	5	4	7	0	5	6	12	6	0	33	16	0	5	-4	5	12	15	23	33	40	53	20	20			
FP-1718	10	10	10	5	26	16	23	13	3	3	5	0	0	-3	8	4	0	33	16	0	7	6	5	12	15	23	33	40	53	20	20			
FP-1719	10	5	2	0	35	22	30	18	12	10	12	2	15	15	18	9	0	33	16	0	10	2	12	12	15	28	33	40	50	20	20			
FP-1720	15	12	18	5	33	22	32	13	0	10	9	-1	0	10	16	7	0	33	16	5	12	0	8	12	15	20	33	40	53	20	20			
FP-1721	15	10	15	5	40	25	32	13	2	9	7	1	0	8	13	8	0	33	16	5	15	-1	6	12	15	20	33	40	53	20	20			
FP-1722	15	10	15	5	38	22	30	14	0	10	9	1	0	8	15	8	0	33	16	5	10	-2	7	12	15	20	33	40	53	20	20			
FP-1723	15	10	15	5	38	18	35	12	10	8	10	1	8	10	16	8	0	33	16	5	10	-3	8	12	15	23	33	40	53	20	20			
FP-1724	10	0	12	0	20	0	18	8	-8	-9	-3	-3	0	-7	4	4	0	33	16	-10	0	-10	-3	12	15	23	33	40	53	20	20			
FP-1725	5	10	10	5	10	13	18	5	-3	0	-4	-5	5	0	2	3	0	33	16	0	6	-6	1	12	15	23	33	44	53	20	20			
FP-1726	10	8	8	3	13	16	15	3	-10	2	-5	-5	0	3	0	1	0	33	16	0	6	-8	0	12	15	22	35	40	53	20	20			
FP-1727	10	6	12	5	20	3	22	10	-2	-2	-1	-2	5	-3	5	5	0	33	16	0	3	-5	0	12	15	23	33	40	53	20	20			
FP-1728	10	5	5	5	8	8	21	4	-5	1	0	-7	-9	3	7	1	0	33	16	0	0	-8	4	12	17	22	33	40	50	20	20			
FP-1729	10	6	5	5	18	15	19	5	-10	4	2	-8	-15	1	8	-2	0	33	16	0	0	-10	-1	12	17	20	33	40	50	20	20			
FP-1730	10	8	9	4	17	13	19	20	-11	2	2	-4	-10	2	12	6	0	33	16	0	-2	-9	-2	12	17	20	30	35	45	20	20			
FP-1731	10	2	7	3	27	5	18	22	-6	-5	0	0	5	2	4	8	0	33	16	0	0	-12	-3	12	16	22	30	35	55	20	20			
FP-1744	8	5	6	3	16	6	10	11	-7	3	5	-2	-6	2	11	3	0	33	16	0	-8	-6	-2	12	16	22	30	35	45	20	20			
FP-1745	6	19	9	15	25	23	7	18	2	1	-3	-1	-7	4	-2	7	0	33	16	5	0	-6	3	12	16	18	25	33	50	20	20			
FP-1746	7	5	5	5	22	14	11	20	-1	1	0	1	-2	0	-3	7	0	33	16	0	0	-6	5	12	16	19	25	33	45	20	20			
FP-1747	10	4	5	0	23	11	12	2	0	-3	-6	-1	0	-2	-2	-4	0	33	16	0	5	-3	-2	12	16	22	32	45	50	20	20			
FP-1749	10	4	10	0	22	13	22	4	0	0	1	0	0	-2	5	0	0	33	16	0	9	0	0	12	15	25	33	43	52	20	20			
FP-1750	10	10	8	0	20	14	20	4	0	-2	-2	0	0	-2	2	-1	0	33	16	0	10	1	2	12	15	25	33	43	55	20	20			
FP-1751	10	7	5	5	24	14	17	23	-6	1	-1	0	-10	4	-1	9	0	33	16	0	4	-7	-3	12	17	20	25	33	45	20	20			
FP-1752	5	7	5	5	10	7	6	8	-6	2	1	-2	-8	2	5	4	0	33	16	0	-9	-12	-5	12	17	20	25	33	47	20	20			
FP-1753	5	5	3	0	3	9	7	-7	-10	-2	-5	-12	-3	6	2	-5	0	33	16	0	-10	-10	-3	12	17	20	35	40	50	20	20			
FP-1754	15	5	10	0	25	7	25	5	0	-5	0	2	0	-5	8	3	0	33	16	0	5	0	0	12	15	23	35	43	55	20	20			
FP-1755	7	10	5	0	18	20	18	9	0	5	-2	3	0	0	4	3	0	33	16	0	7	1	2	12	15	23	33	43	55	20	20			
FP-1756	7	5	5	0	16	10	5	-5	-10	1	-8	-11	0	-3	-2	-7	0	33	16	0	-7	-10	-6	12	17	20	35	40	50	20	20			
FP-1757	10	5	10	0	25	12	22	5	0	0	1	1	0	-4	6	1	0	33	16	0	9	-1	0	12	15	23	33	43	55	20	20			
FP-1758	10	5	10	0	30	9	24	5	0	0	2	2	0	-7	6	2	0	33	16	0	10	1	2	12	15	23	33	43	55	20	20			
FP-1759	10	5	10	0	25	12	25	5	0	1	1	-1	0	-4	6	1	0	33	16	0	10	2	3	12	15	22	32	43	55	20	20			
FP-1760	5	7	5	0	12	20	10	0	0	0	-5	-5	0	8	2	4	0	33	16	0	0	-7	-2	12	15	20	38	45	55	20	20			
FP-1761	8	5	8	-4	21	13	23	11	-6	2	-2	-6	4	2	9	1	0	33	16	0	0	-9	1	12	15	25	33	40	55	20	20			
FP-1762	10	5	10	0	30	15	22	8	0	2	2	0	0	-4	8	2	0	33	16	0	8	0	2	12	15	23	33	40	55	20	20			
FP-1763	10	5	10	0	25	13	19	6	0	1	0	-5	0	-3	5	-2	0	33	16	0	6	0	2	12	15	23	32	39	52	20	20			

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22						ADDITIONAL MODES WHEN REQUIRED									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-1764	2	3	4	0	15	4	8	-2	-5	-3	-8	-10	-2	-1	-1	-4	0	33	16	0	0	-12	-3	12	18	25	33	42	55	20	20			
FP-1765	7	2	1	3	23	-1	11	-4	-10	-7	-6	6	-7	-2	3	0	0	33	16	0	0	-6	4	12	17	22	35	40	55	20	20			
FP-1766	4	5	7	0	11	12	17	4	-6	-4	-4	-9	0	1	4	-1	0	33	16	0	-7	-10	-1	12	18	27	33	45	55	20	20			
FP-1767	7	6	4	2	15	10	19	6	-12	-1	-2	-2	6	1	6	4	0	33	16	0	0	-7	3	12	18	27	35	45	55	20	20			
FP-1768	6	4	5	3	11	6	9	2	0	5	4	2	0	0	10	7	0	33	16	0	0	-7	2	12	17	25	33	40	55	20	20			
FP-1769	10	8	5	0	28	20	20	10	0	5	5	1	0	3	8	2	0	33	16	0	5	-2	-1	12	15	22	33	38	55	20	20			
FP-1770	10	8	8	0	30	18	23	12	0	3	5	1	0	-2	10	3	0	33	16	0	5	-2	0	12	15	22	33	38	55	20	20			
FP-1771	15	5	10	0	45	10	24	12	0	-3	3	5	0	-4	7	7	0	33	16	0	5	0	1	12	15	22	33	40	55	20	20			
FP-1772	15	5	10	5	40	11	20	13	15	-1	0	7	0	-4	5	9	0	33	16	0	8	3	5	12	15	24	33	43	55	20	20			
FP-1773	15	5	5	0	30	20	23	13	10	7	6	1	0	1	10	3	0	33	16	0	5	2	2	12	15	23	33	38	55	20	20			
FP-1774	12	5	10	5	38	12	22	15	10	0	3	6	0	-3	9	8	0	33	16	0	10	4	5	12	15	25	33	40	55	20	20			
FP-1775	6	3	10	2	7	-5	15	-5	-7	0	-3	-2	1	-2	8	5	0	33	16	0	0	-8	3	12	17	25	33	45	52	20	20			
FP-1776	10	5	5	0	2	2	15	-4	-10	-1	3	-6	-10	0	10	5	0	33	16	0	0	-4	4	12	18	22	33	45	52	20	20			
FP-1777	2	3	2	0	5	11	2	-4	4	1	-4	-10	-6	1	2	-4	0	33	16	0	0	-10	-5	12	19	22	32	40	55	20	20			
FP-1778	7	10	8	0	30	21	16	15	13	3	4	0	8	0	7	0	0	33	16	0	8	-2	0	12	16	21	32	38	50	20	20			
FP-1779	15	10	5	0	35	10	22	10	12	-2	4	3	0	-2	8	4	0	33	16	0	8	1	4	12	15	26	33	43	55	20	20			
FP-1780	10	5	5	0	20	8	4	-9	0	-1	-6	-8	11	2	-1	-6	0	33	16	0	0	-9	-8	12	18	22	32	40	53	20	20			
FP-1781	12	10	7	5	60	46	38	15	16	10	-7	-7	5	6	2	-5	0	33	16	0	0	-9	-6	12	18	22	32	40	53	20	20			
FP-1782	10	4	6	5	18	22	20	13	10	-6	6	8	0	-3	12	13	0	33	16	0	-2	0	9	12	15	22	33	40	50	20	20			
FP-1783	10	0	0	-5	20	13	25	5	-5	3	6	-5	0	6	12	-2	0	33	16	-5	-1	-1	9	12	15	20	30	38	48	20	20			
FP-1784	6	3	5	0	10	-1	6	-2	-14	-6	-13	-11	-10	-5	-3	-6	0	33	16	0	0	-10	-3	12	17	22	32	40	50	20	20			
FP-1785	10	-5	-8	-10	30	5	28	15	-5	-8	10	3	0	-7	15	8	0	33	16	-10	-5	-6	1	12	15	20	28	38	50	20	20			
FP-1786	6	5	5	0	7	-7	1	-9	-7	-10	-7	-3	0	-8	-1	-3	0	33	16	0	0	-6	-4	12	17	25	35	45	55	20	20			
FP-1787	2	0	2	0	8	-2	8	-4	-10	-12	-11	-6	1	-13	-3	-2	0	33	16	0	0	-12	-5	12	17	25	35	45	52	20	20			
FP-1788	10	-10	-5	-10	46	-5	32	12	-8	-18	11	8	0	-20	18	15	0	33	16	0	-10	-7	0	12	15	21	33	40	53	20	20			
FP-1789	7	7	8	5	30	3	17	20	30	16	25	7	0	8	30	5	0	33	16	0	0	22	17	12	17	27	35	45	55	20	20			
FP-1790	10	-5	-5	-5	30	2	28	2	2	-10	10	2	0	-10	14	8	0	33	16	0	-5	-5	2	12	15	21	30	43	53	20	20			
FP-1791	10	5	5	5	20	1	14	5	9	-1	-1	-1	3	-1	6	-2	0	33	16	0	0	4	2	12	17	27	37	45	55	20	20			
FP-1798	5	-5	0	-10	32	10	22	0	-15	-2	2	0	-4	-10	8	8	0	33	16	0	-4	-2	6	12	15	21	28	43	53	20	20			
FP-1799	8	3	3	0	5	-1	7	-4	-5	-6	-7	-3	-2	-8	-5	-6	0	33	16	0	0	-6	-5	12	17	22	37	45	55	20	20			
FP-1800	0	10	0	-10	10	25	17	8	-20	15	-6	6	0	20	-4	13	0	33	16	0	-1	0	6	12	15	20	28	40	50	20	20			
FP-1801	4	2	5	0	5	1	11	-5	-8	-2	-5	-4	-5	-5	1	-4	0	33	16	0	0	-7	-3	12	17	25	35	45	55	20	20			
FP-1802	6	6	10	2	14	0	18	0	0	1	2	2	-8	-8	6	1	0	33	16	0	0	4	1	12	17	25	35	45	55	20	20			
FP-1803	10	-5	-5	-10	40	-4	30	13	10	-15	5	5	5	-12	12	14	0	33	16	0	-10	-2	8	12	15	23	33	40	53	20	20			

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22		ADDITIONAL MODES WHEN REQUIRED														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35			
FP-1804	10	0	5	-10	35	8	27	8	18	-5	7	0	0	-2	12	5	0	33	16	0	-5	-4	4	12	15	24	32	41	50	20	20				
FP-1805	10	-5	-5	-10	32	5	26	10	-4	-8	6	-4	5	-12	10	0	0	33	16	0	-6	1	10	12	15	20	26	38	50	20	20				
FP-1806	10	-5	0	-10	30	10	22	13	0	-2	12	-10	0	0	18	-8	0	33	16	0	-5	-5	0	12	15	20	26	35	45	20	20				
FP-1807	10	0	0	-5	35	15	22	15	-20	-2	8	-3	0	-2	14	0	0	33	16	-10	-7	-10	-7	12	15	18	23	36	50	20	20				
FP-1808	10	3	-5	-10	36	10	24	18	-2	-9	12	4	0	-8	20	8	0	33	16	-10	-6	-8	-3	12	15	20	27	36	50	20	20				
FP-1809	15	-15	5	-5	50	-5	16	35	-5	-18	-5	14	-5	-22	2	19	0	33	16	0	-10	-4	3	12	15	21	27	35	50	20	20				
FP-1810	10	0	-10	-10	35	15	22	12	8	5	8	-2	0	8	15	3	0	33	16	-10	-8	-7	0	12	15	21	28	38	50	20	20				
FP-1811	15	-5	-5	-10	50	0	20	26	22	-17	-4	16	0	-18	1	22	0	33	16	-10	-5	1	9	12	15	24	32	39	53	20	20				
FP-1812	15	10	0	0	60	31	30	8	35	5	4	-5	25	6	10	-1	0	33	16	0	3	-7	-4	12	15	23	32	40	50	20	20				
FP-1826	5	-5	-10	-10	22	6	10	-4	8	-8	-10	-12	5	-9	-7	-8	0	33	16	-10	-8	-12	-5	12	16	24	30	40	50	20	20				
FP-1827	10	0	-10	-10	35	10	26	15	15	-6	10	5	3	-2	17	11	0	33	16	-10	-7	-5	7	12	15	25	33	40	50	20	20				
FP-1828	10	-5	-10	-10	35	4	28	22	10	-11	12	8	5	-13	19	14	0	33	16	-10	-5	0	10	12	15	25	34	40	50	20	20				
FP-1829	15	0	-10	-10	50	13	-5	33	10	-7	-18	13	0	-5	-20	20	0	33	16	-10	-8	2	10	12	15	20	25	36	50	20	20				
FP-1837	10	-10	-10	-10	30	-6	28	20	6	-16	9	12	5	-14	15	18	0	33	16	-10	-6	0	8	12	15	25	33	40	50	20	20				
FP-1838	5	-10	-10	-10	27	3	30	8	10	-11	9	0	4	-13	12	6	0	33	16	-10	-5	-3	8	12	15	22	30	40	50	20	20				
FP-1839	15	0	-5	-10	20	3	28	20	12	-14	9	14	0	-13	15	20	0	33	16	-10	-8	1	10	12	15	23	33	40	50	20	20				
FP-1840	10	-5	-5	-10	25	6	20	15	9	-10	6	10	10	-10	11	16	0	33	16	-10	-5	-1	6	12	15	23	32	40	50	20	20				
FP-1841	10	-5	-10	-10	27	9	23	10	10	-5	6	7	10	-5	13	16	0	33	16	-10	-2	0	7	12	15	23	32	40	50	20	20				
FP-1842	5	-5	-5	-10	16	15	20	0	-5	8	0	-5	0	12	2	1	0	33	16	-10	-5	-5	0	12	15	20	30	40	50	20	20				
FP-1843	10	-10	-10	-10	35	0	18	22	20	-18	7	10	10	-16	9	18	0	33	16	-10	-5	1	10	12	15	24	34	40	50	20	20				
FP-1844	10	-5	-10	-10	30	6	23	2	1	-6	6	3	0	-4	12	10	0	33	16	-10	-3	-3	3	12	15	22	30	43	50	20	20				
FP-1845	15	0	0	-10	40	25	26	5	22	7	-3	-2	10	4	-1	2	0	33	16	-10	5	-2	4	12	16	25	30	43	50	20	20				
FP-1871	15	5	0	-5	40	2	32	19	-10	-16	15	0	0	-12	19	9	0	33	16	-10	-2	-7	-3	12	15	25	31	40	55	20	20				
FP-1872	10	10	5	0	30	8	42	9	-13	-10	16	-5	0	-3	20	5	0	33	16	-5	0	-3	5	12	15	23	32	40	55	20	20				
FP-1876	15	5	10	-5	40	3	38	10	-12	-15	17	-3	0	-8	21	6	0	33	16	-10	2	-5	0	12	15	23	32	40	53	20	20				
FP-1877	15	10	10	-5	50	-5	42	15	-10	-15	25	4	-5	-10	30	12	0	33	16	0	3	-4	0	12	15	23	32	40	53	20	20				
FP-1878	15	10	5	-5	50	-5	45	10	-20	-12	22	1	-10	-7	25	7	0	33	16	0	0	-8	-5	12	15	23	32	40	53	20	20				
FP-1880	15	10	7	0	60	-13	43	8	-20	-25	24	2	0	-20	28	11	0	33	16	0	0	-4	0	12	15	23	32	42	53	20	20				
FP-1881	15	10	10	0	50	-8	38	18	0	-23	20	2	0	-17	20	11	0	33	16	0	-3	-5	0	12	15	24	31	40	53	20	20				
FP-1883	7	15	10	0	20	18	32	15	8	-11	11	2	10	-9	14	8	0	33	16	0	5	-5	-1	12	15	24	31	40	53	20	20				
FP-1884	15	10	10	0	50	15	20	15	4	-8	10	-7	5	-5	12	-1	0	33	16	0	-6	-11	-6	12	15	24	31	40	53	20	20				
FP-1885	15	10	10	0	48	8	35	13	-18	-8	8	-9	0	11	8	-4	0	33	16	0	0	-12	-6	12	15	21	28	38	53	20	20				
FP-1886	15	10	15	0	55	8	35	12	-20	-10	8	-7	-5	-2	11	1	0	33	16	0	0	-7	-1	12	15	20	29	40	53	20	20				
FP-1893	15	15	10	0	53	18	28	12	-25	-9	13	-4	-20	2	17	4	0	33	16	0	-5	-15	-10	12	15	20	29	40	53	20	20				

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22						ADDITIONAL MODES WHEN REQUIRED									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-1894	15	10	10	0	30	23	15	10	-30	-3	6	-8	-10	10	10	-4	0	33	16	0	-5	-17	-12	12	15	20	27	40	53	20	20			
FP-1895	15	15	12	0	60	-2	32	22	-23	-15	17	2	-10	-10	20	9	0	33	16	0	-2	-10	-5	12	15	23	32	40	53	20	20			
FP-1914	10	15	10	0	10	20	15	0	-24	2	-5	-12	20	6	-5	-4	0	33	16	0	-8	-12	-5	12	15	22	30	40	53	20	20			
FP-1915	15	10	15	0	40	8	22	7	-20	-10	6	-5	15	-7	8	5	0	33	16	0	0	-8	-3	12	15	22	33	43	53	20	20			
FP-1916	15	6	8	12	40	-4	5	32	-20	-20	-2	0	-10	-14	3	9	0	33	16	0	-2	-12	-6	12	15	22	30	37	47	20	20			
FP-1917	15	10	15	0	45	2	25	16	-15	-15	7	-3	0	-15	9	6	0	33	16	0	-5	-9	-3	12	15	23	32	40	53	20	20			
FP-1918	15	10	15	0	40	12	22	11	-12	-12	6	-6	20	-8	10	3	0	33	16	0	-5	-10	-5	12	15	23	32	40	53	20	20			
FP-1919	15	10	15	-5	18	10	20	0	-15	-2	0	-12	10	3	1	-6	0	33	16	0	-8	-15	-8	12	15	23	30	40	53	20	20			
FP-1920	20	10	15	0	57	-2	22	14	10	-10	9	-1	10	-6	13	6	0	33	16	0	0	-5	-2	12	15	24	35	43	53	20	20			
FP-1921	15	15	15	0	20	20	15	-3	-15	-7	-10	-17	0	-2	-8	-11	0	33	16	0	-10	-18	-13	12	15	20	30	40	52	20	20			
FP-1922	10	4	8	-4	20	4	25	-4	0	-12	0	-12	0	-10	4	0	0	33	16	0	-10	-12	-10	12	15	25	35	45	55	20	20			
FP-1923	10	4	6	10	40	-4	6	30	0	-24	-7	2	0	-20	-4	5	0	33	16	0	0	-10	-5	12	17	25	30	35	50	20	20			
FP-1924	20	10	15	0	45	0	20	15	-10	-22	4	-5	15	-18	8	4	0	33	16	0	-10	-12	-5	12	15	25	35	43	53	20	20			
FP-1925	20	10	15	0	40	6	23	10	-10	-17	9	-7	0	-15	10	0	0	33	16	0	-10	-12	-5	12	15	23	33	42	53	20	20			
FP-1926	20	15	15	0	35	10	22	10	-10	-13	8	-10	15	-8	10	-3	0	33	16	0	-10	-14	-7	12	15	23	32	42	53	20	20			
fp-1927	20	10	15	0	33	-5	27	6	-30	-18	7	-10	20	-13	9	-4	0	33	16	0	-10	-13	-5	12	15	22	31	40	53	20	20			
FP-1928	15	5	10	0	42	-6	32	12	-20	-13	10	-6	0	-12	13	4	0	33	16	0	-10	-10	-5	12	15	25	35	43	53	20	20			
FP-1931	15	5	0	-5	20	10	25	0	10	-7	5	8	0	-5	10	17	0	33	16	0	0	3	12	12	15	25	35	45	55	20	20			
FP-1932	15	0	-5	-5	30	10	22	12	5	-9	4	8	0	-4	8	16	0	33	16	0	-2	0	8	12	15	22	35	42	53	20	20			
FP-1944	15	0	0	-5	30	6	15	10	12	-9	1	6	0	-11	7	8	0	33	16	0	-8	3	2	12	15	23	31	40	55	20	20			
FP-1945	10	-5	-5	0	26	15	25	3	-6	0	5	-5	0	-3	10	-2	0	33	16	0	-5	4	5	12	15	20	29	39	55	20	20			
FP-1946	15	0	0	0	30	8	22	-1	-10	-3	0	3	0	-12	3	4	0	33	16	0	8	2	2	12	15	20	30	45	55	20	20			
FP-1951	15	-5	0	-5	40	0	25	6	-15	-10	10	-3	0	-6	17	1	0	33	16	0	-3	-13	-14	12	15	22	30	45	55	20	20			
FP-1952	10	0	5	0	35	10	28	0	5	-3	8	-7	0	-1	15	-4	0	33	16	0	0	-6	-6	12	15	25	35	48	55	20	20			
FP-1969	10	-5	-5	-10	32	6	28	2	-2	-10	9	3	0	-16	14	4	0	33	16	0	0	-4	-3	12	15	22	31	45	55	20	20			
FP-1970	10	-5	-5	-5	36	4	26	-1	-8	-7	6	0	0	-15	12	0	0	33	16	-5	0	-5	-4	12	15	20	30	44	55	20	20			
FP-1971	15	-5	-5	0	45	-5	25	20	-11	-18	4	10	0	-25	10	15	0	33	16	0	-10	-5	-5	12	15	22	30	38	55	20	20			
FP-1972	10	-5	-5	0	34	-1	30	5	5	-10	6	6	0	-5	9	5	0	33	16	0	-5	4	4	12	15	24	33	45	55	20	20			
FP-1973	0	5	0	0	10	24	15	12	-15	14	-9	6	0	14	-6	10	0	33	16	0	-2	1	2	12	15	20	28	40	55	20	20			
FP-1974	12	4	2	0	38	10	26	0	3	-6	1	-2	7	-6	7	-1	0	33	16	0	-2	0	1	12	15	24	33	46	55	20	20			
FP-1975	10	0	5	-5	30	11	22	10	-5	-3	8	-12	0	0	10	-8	0	33	16	0	-3	0	0	12	15	22	27	36	53	20	20			
FP-1976	10	-5	0	-5	38	4	22	12	3	-8	3	-5	0	-10	7	-2	0	33	16	0	-12	4	6	12	15	20	28	36	55	20	20			
FP-1977	15	0	5	5	40	-4	32	-4	-15	-17	12	0	0	-22	19	-2	0	33	16	0	0	-4	-2	12	15	23	37	48	55	20	20			
FP-1978	10	-5	-5	-5	16	20	16	3	-5	8	-2	-5	0	8	2	-6	0	33	16	0	-10	-8	-8	12	18	23	35	45	55	20	20			

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22						ADDITIONAL MODES WHEN REQUIRED									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-1985	10	0	10	0	28	3	36	5	-8	-4	7	-2	0	-5	13	5	0	33	16	0	10	-5	-7	12	15	23	32	45	55	20	20			
FP-1986	10	0	5	0	32	3	32	5	-5	-3	9	-3	0	3	13	5	0	33	16	0	6	-4	-5	12	15	22	31	42	55	20	20			
FP-1987	10	-5	0	0	35	0	28	6	10	-8	7	-2	0	-7	15	2	0	33	16	0	0	-5	-8	12	15	23	35	45	58	20	20			
FP-1988	15	0	10	0	35	0	35	8	-8	-8	12	-2	0	-8	20	3	0	33	16	0	5	-9	-10	12	15	22	32	47	57	20	20			
FP-1989	15	0	10	0	35	-10	45	7	-18	-12	13	0	0	-11	22	5	0	33	16	0	0	-10	-11	12	15	23	35	46	58	20	20			
FP-2022	10	0	-5	-5	33	8	23	6	-8	-3	8	0	0	-11	13	1	0	33	16	0	-7	-8	-8	12	15	20	28	42	55	20	20			
FP-2023	10	-5	-5	-10	55	-1	0	28	25	-13	-20	15	0	-16	-18	18	0	33	16	-10	-8	7	8	12	15	23	28	38	55	20	20			
FP-2035	0	-5	-10	-10	55	2	26	4	5	-7	15	10	0	-17	17	10	0	33	16	-10	0	5	8	12	15	23	37	45	55	20	20			
FP-2036	5	-10	-10	-10	25	0	25	0	0	-12	5	0	0	-17	10	1	0	33	16	-10	-10	5	6	12	15	22	30	43	56	20	20			
FP-2037	10	-5	-10	-5	25	11	18	2	0	-11	5	7	0	-13	8	8	0	33	16	-5	0	6	4	12	15	25	38	46	57	20	20			
FP-2038	5	-5	-10	-10	5	20	8	-2	-3	8	-12	-6	0	10	-9	-8	0	33	16	-10	1	0	0	12	15	24	34	43	55	20	20			
FP-2039	10	-5	-10	-10	50	2	-2	30	5	-15	-18	12	0	-22	-12	16	0	33	16	-10	-12	5	6	12	15	23	28	38	55	20	20			
FP-2040	10	-5	-10	-10	40	0	30	-1	18	-16	13	5	0	-17	20	6	0	33	16	-10	-10	5	6	12	15	25	39	48	58	20	20			
FP-2041	10	0	-10	-10	30	5	24	-1	10	-10	6	0	0	-12	13	2	0	33	16	-10	-6	0	-1	12	15	24	34	44	55	20	20			
FP-2042	0	0	-5	-10	22	7	10	-4	13	-8	-12	-9	0	-11	-9	-8	0	33	16	-10	-10	-8	-9	12	15	23	30	40	55	20	20			
FP-2043	5	0	-10	-10	27	11	13	2	0	-8	7	7	0	-11	12	9	0	33	16	0	0	3	2	12	15	24	39	48	58	20	20			
FP-2044	5	-10	-10	-10	8	25	10	-1	-15	9	-7	3	0	10	-4	5	0	33	16	-10	0	2	3	12	15	26	36	48	58	20	20			
FP-2045	10	-10	-10	-10	25	-2	27	-5	-4	-17	10	5	0	-14	16	6	0	33	16	-10	0	0	0	12	15	25	38	48	58	20	20			
FP-2046	10	-10	-10	-10	35	-1	22	15	5	-12	6	12	-15	-13	12	12	0	33	16	-10	-10	2	2	12	15	25	35	43	55	20	20			
FP-2047	5	5	0	0	30	10	10	20	20	-3	-6	5	0	0	-10	10	0	33	16	0	5	2	0	12	17	20	2	32	50	20	20			
FP-2048	5	-5	-10	-10	25	18	21	0	0	6	1	0	0	0	5	-1	0	33	16	-10	5	0	-2	12	15	22	32	45	55	20	20			
FP-2080	15	0	15	0	40	-2	27	0	-4	-6	3	-2	0	0	10	2	0	33	16	-5	2	-4	-6	12	16	22	32	45	50	20	20			
FP-2081	15	0	10	5	40	4	24	14	-8	0	10	-5	0	0	10	3	0	33	16	-15	0	-8	-8	12	16	22	30	35	50	20	20			
FP-2082	15	5	7	6	42	10	12	18	-15	-2	5	0	-30	5	6	6	0	33	16	0	0	-10	-16	12	15	21	25	35	50	20	20			
FP-2083	14	2	10	-4	60	-10	38	4	0	-18	12	-5	-40	-17	16	-8	0	33	16	0	-5	-5	-18	12	15	23	36	48	62	20	20			
FP-2084	10	5	-2	-5	20	18	20	4	6	-4	4	-3	28	-4	15	-1	0	33	16	0	5	-7	-8	12	18	27	37	48	58	20	20			
FP-2085	15	-5	0	-5	40	-4	32	3	12	-12	10	-4	30	-13	19	-1	0	33	16	-10	-5	-4	-5	12	15	23	35	49	58	20	20			
FP-2086	10	-5	5	10	35	-2	32	1	2	-12	8	-4	0	-12	16	-1	0	33	16	-10	0	-5	-6	12	15	22	32	48	58	20	20			
FP-2087	12	5	0	0	58	10	38	11	20	-2	17	2	0	-6	22	5	0	33	16	0	2	0	-3	12	15	23	37	48	58	20	20			
FP-2088	10	0	0	0	30	6	18	0	7	-5	-5	-11	40	-3	4	-7	0	33	16	0	-3	-14	-15	12	15	25	35	45	55	20	20			
FP-2089	15	5	-5	-5	35	7	30	4	12	-5	9	-4	0	-4	17	-1	0	33	16	-5	0	-8	-8	12	15	25	34	48	58	20	20			
FP-2090	15	5	-5	-10	35	3	30	5	10	-14	12	-4	0	-12	19	-3	0	33	16	-10	-5	-4	-6	12	15	26	37	50	58	20	20			
FP-2091	15	-5	5	-10	45	-6	36	1	6	-16	14	-3	0	-14	20	0	0	33	16	-10	0	-4	-5	12	15	26	38	49	58	20	20			
FP-2092	15	5	-5	-5	56	-5	28	0	15	-18	10	-2	0	-16	19	0	0	33	16	-5	0	-6	-7	12	15	25	40	50	58	20	20			

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22						ADDITIONAL MODES WHEN REQUIRED									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-2093	10	0	0	-5	25	3	22	0	-10	8	-4	-8	0	11	3	-4	0	33	16	-10	0	-8	-8	12	17	25	32	43	55	20	20			
FP-2094	5	5	0	-5	6	15	25	7	-16	6	-2	-5	0	9	6	3	0	33	16	-10	0	-5	-8	12	15	25	35	40	57	20	20			
FP-2095	15	0	0	-10	50	-2	30	5	12	-15	12	-3	0	-13	20	-2	0	33	16	-1	-5	-6	-7	12	15	23	38	48	58	20	20			
FP-2096	15	0	0	-10	50	-3	29	3	10	-13	9	-3	0	-12	19	1	0	33	16	0	-5	-7	-8	12	15	23	38	48	58	20	20			
FP-2106	15	0	5	-10	40	4	30	4	10	-8	8	-2	0	-5	18	0	0	33	16	-10	0	-7	-8	12	15	24	36	48	58	20	20			
FP-2107	15	0	-10	-10	60	25	36	18	38	-5	23	9	20	2	25	18	0	33	16	-10	5	5	7	12	16	26	35	43	52	20	20			
FP-2108	10	-5	5	-5	40	-3	35	5	0	-10	10	-1	0	-10	15	5	0	33	16	-10	3	-9	-10	12	15	22	30	42	55	20	20			
FP-2109	15	0	0	-10	45	5	30	5	5	-10	10	-1	0	-6	16	3	0	33	16	0	0	-5	-9	12	15	23	38	48	58	20	20			
FP-2110	15	-5	5	-10	53	-4	32	8	15	-16	13	0	0	-14	21	2	0	33	16	-10	0	-7	-8	12	15	24	38	48	58	20	20			
FP-2111	10	0	5	0	35	8	28	6	-6	0	5	-6	0	5	10	2	0	33	16	0	5	-8	-10	12	15	22	33	43	55	20	20			
FP-2112	5	5	5	-5	10	22	14	6	-10	8	-10	3	0	10	-5	12	0	33	16	-5	6	-4	-6	12	15	25	33	40	55	20	20			
FP-2113	5	5	5	-5	8	30	6	5	-22	12	-14	-2	20	16	-16	6	0	33	16	0	3	-2	-5	12	15	23	35	43	57	20	20			
FP-2114	15	0	5	-5	40	5	30	2	2	-10	9	0	0	-7	15	5	0	33	16	-10	0	-3	-5	12	15	23	36	48	58	20	20			
FP-2115	5	0	5	5	4	28	12	10	-20	10	-10	0	0	18	-7	10	0	33	16	-10	-5	-3	-5	12	15	22	32	43	56	20	20			
FP-2116	5	5	5	0	-8	28	10	2	-24	12	-16	-3	0	16	-8	4	0	33	16	-10	-5	-2	-7	12	15	22	31	45	58	20	20			
FP-2132	5	0	0	0	14	4	6	2	-7	-10	-12	-6	0	-10	-8	-4	0	33	16	0	0	-7	-6	12	15	25	33	43	58	20	20			
FP-2133	15	10	10	0	30	14	17	9	-12	-5	1	-8	20	7	3	-2	0	33	16	0	-12	-10	0	12	15	23	27	35	53	20	20			
FP-2134	15	10	10	0	30	10	19	5	-8	-10	2	-7	10	-4	3	-1	0	33	16	0	-8	-10	-4	12	15	23	28	40	53	20	20			
FP-2135	10	0	5	-10	42	5	26	5	10	-5	4	0	0	-4	10	4	0	33	16	-10	3	-6	-10	12	15	23	36	45	58	20	20			
FP-2136	5	10	10	8	40	10	25	6	-10	6	2	-1	0	14	3	8	0	33	16	0	5	-4	-5	12	15	20	33	43	55	20	20			
FP-2137	10	-5	-10	-10	38	10	17	-2	13	-7	-1	3	0	-7	2	4	0	33	16	-10	-5	4	2	12	15	23	35	45	56	20	20			
FP-2138	10	5	0	0	30	15	18	-3	15	5	-5	2	0	8	-3	12	0	33	16	0	-5	1	10	12	15	23	34	45	55	20	20			
FP-2139	10	0	-5	-5	22	16	18	7	5	2	-4	6	0	8	1	15	0	33	16	0	-4	0	5	12	15	28	35	43	55	20	20			
FP-2140	10	-5	-5	-5	30	15	16	7	12	0	-5	8	0	0	-2	10	0	33	16	0	0	5	4	12	15	25	34	44	55	20	20			
FP-2193	15	0	-10	-10	52	-4	34	0	11	-20	15	10	0	-24	20	12	0	33	16	0	-2	10	8	12	15	24	38	47	55	20	20			
FP-2194	15	0	0	-8	55	5	6	32	16	-14	-11	15	0	-15	-10	24	0	33	16	0	-6	7	19	12	15	22	28	38	50	20	20			
FP-2195	15	0	-5	-10	60	-8	18	28	22	-20	2	14	0	-16	4	26	0	33	16	-10	-10	4	10	12	15	25	35	46	55	20	20			
FP-2196	15	0	-5	-10	55	-10	20	28	20	-24	-1	15	0	-22	5	16	0	33	16	-10	-8	4	5	12	15	25	36	47	55	20	20			
FP-2211	10	0	0	0	22	17	21	6	5	6	4	2	0	7	11	15	0	33	16	0	3	-2	8	12	15	23	33	45	55	20	20			
FP-2218	15	5	0	0	25	12	28	5	-4	0	2	-3	0	0	3	-2	0	33	16	0	10	-4	-3	12	15	20	30	42	60	20	20			
FP-2219	10	5	5	0	30	12	18	0	0	-5	6	-5	0	0	2	-2	0	33	16	0	-5	-2	-2	12	16	22	29	40	55	20	20			
FP-2220	10	5	5	-10	50	18	28	15	-15	-12	16	-5	0	-4	23	-5	0	33	16	-10	-5	-12	-10	12	15	20	28	38	50	20	20			
FP-2237	10	0	0	0	-5	38	10	10	-38	24	-17	10	0	22	-16	12	0	33	16	0	0	7	7	12	15	21	31	45	58	20	20			
FP-2238	0	0	0	0	-15	40	3	4	-30	26	-23	3	0	23	-20	5	0	33	16	0	-3	7	6	12	15	21	31	45	58	20	20			

DIAGNOSTICS - NO ENTRY REQUIRED



SETTING VALUES

Please locate your Value Reference from the chart.

SUGGESTION: Use a ruler or highlight SETTING VALUES to reduce risk of losing place while entering values.

	VALUES FOR MODES 1-18																		MODES 19-22						ADDITIONAL MODES WHEN REQUIRED									
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19-22	23	24	25	26	27	28	29	30	31	32	33	34	35		
FP-2239	5	2	0	-8	-15	45	3	7	-35	30	-19	2	0	30	-18	8	0	33	16	0	-8	5	16	12	15	21	31	45	55	20	20			
FP-2240	5	3	0	-5	0	35	6	5	-30	28	-14	8	0	30	-14	15	0	33	16	0	-10	5	13	12	15	21	31	45	55	20	20			
FP-2241	5	0	0	-10	6	33	5	8	-15	16	-12	6	0	20	-10	17	0	33	16	0	0	2	8	12	15	22	33	45	55	20	20			
FP-2242	10	0	0	-5	-7	40	2	2	-18	22	-18	3	0	30	-17	12	0	33	16	0	-5	3	10	12	15	22	33	45	55	20	20			
FP-2243	3	2	-5	-5	0	34	-1	6	-15	20	-22	5	0	22	-18	7	0	33	16	0	5	5	3	12	15	22	33	45	58	20	20			
FP-2245	10	0	-5	-10	36	-1	32	3	-5	-12	13	5	0	-20	18	5	0	33	16	0	0	0	1	12	15	23	38	48	58	20	20			
FP-2246	15	0	-5	-10	36	2	12	25	6	-12	-5	14	0	-13	0	20	0	33	16	0	-8	-2	8	12	15	23	30	38	50	20	20			
FP-2247	10	0	-10	-10	60	-7	15	25	42	-20	4	13	0	-20	10	21	0	33	16	0	-5	2	8	12	15	23	33	43	53	20	20			
FP-2248	13	0	-10	-10	60	-8	12	24	11	-15	0	10	0	-23	5	10	0	33	16	0	-5	-2	-2	12	15	24	33	42	58	20	20			
FP-2254	0	6	-2	0	30	5	-4	8	0	-5	-18	-6	0	0	-14	-2	0	33	16	0	-4	-7	4	12	15	22	25	34	50	20	20			
FP-2255	10	0	0	0	30	-2	6	10	10	-13	-9	-2	0	-15	-4	1	0	33	16	0	5	-5	-4	12	15	25	30	43	58	20	20			
FP-2256	10	0	0	0	10	5	10	5	-7	-6	-8	-4	0	-12	-3	-3	0	33	16	0	4	-6	-4	12	15	23	35	48	58	20	20			
FP-2257	10	0	0	0	12	7	10	4	-6	-8	-7	-4	0	-8	-2	-2	0	33	16	0	-2	-5	-4	12	15	23	35	48	58	20	20			
FP-2272	10	0	0	0	12	2	11	0	-4	-8	-7	-6	0	-5	-4	5	0	33	16	0	0	-7	-1	12	15	23	33	45	53	20	20			
FP-2273	10	0	0	0	25	0	13	0	4	-10	-4	-3	0	-9	1	7	0	33	16	0	-3	-7	-1	12	15	23	39	43	53	20	20			
FP-2274	10	0	0	0	25	0	12	2	-4	-13	-6	-3	0	-16	-1	-2	0	33	16	0	0	-7	-5	12	15	23	39	45	58	20	20			
FP-2275	5	0	0	0	4	12	2	4	-10	-4	-15	-5	0	-8	-10	-2	0	33	16	0	0	-6	-6	12	15	25	33	43	58	20	20			
FP-2276	0	3	0	0	3	12	0	2	-10	-1	-15	-5	0	-4	-11	-2	0	33	16	0	-3	-5	-4	12	15	25	33	45	58	20	20			
FP-2277	0	3	0	0	5	12	2	0	-12	3	-11	-7	0	1	-8	2	0	33	16	0	-4	-8	0	12	15	25	33	45	55	20	20			
FP-2278	5	0	0	0	5	12	3	2	-11	-1	-11	-6	0	0	-8	4	0	33	16	0	-3	-8	-1	12	15	25	33	45	55	20	20			
FP-2279	8	2	4	7	36	12	1	15	18	-11	-13	16	11	-3	-13	32	0	33	16	0	0	3	5	12	17	22	27	40	55	20	20			
FP-2280	9	7	2	5	25	7	-4	10	12	-16	-18	3	13	-6	-14	10	0	33	16	0	0	-8	-7	12	17	22	27	40	55	20	20			
FP-2281	9	6	7	6	30	16	30	10	55	2	33	4	22	5	31	7	0	33	16	0	3	-3	-6	12	15	30	37	45	55	20	20			
FP-2282	8	3	9	7	17	1	20	12	12	1	22	2	4	-5	19	3	0	33	16	0	0	-3	-8	12	17	25	35	45	55	20	20			
FP-2287	0	5	0	0	0	16	5	1	-11	6	-10	-5	0	7	-8	6	0	33	16	0	-5	-6	2	12	15	24	32	45	55	20	20			
FP-2288	0	3	0	0	0	16	1	1	-18	5	-14	-7	0	6	-10	2	0	33	16	0	-6	-8	0	12	15	24	32	45	55	20	20			
FP-2289	0	3	0	0	-5	19	1	2	-11	2	-15	-5	0	1	-10	-3	0	33	16	0	0	-5	-2	12	15	24	32	45	58	20	20			
FP-2290	0	5	0	0	-4	17	0	3	-16	0	-15	-4	0	0	-12	-3	0	33	16	0	0	-5	-2	12	15	24	32	45	58	20	20			
FP-2291	5	0	0	0	15	7	8	-1	-3	-3	-7	-6	0	-4	-4	3	0	33	16	0	-2	-8	-2	12	15	23	33	45	55	20	20			
FP-2292	5	0	0	0	27	6	5	14	0	-10	-8	-4	0	-8	-12	2	0	33	16	0	-4	-6	0	12	15	23	28	38	48	20	20			
fp-2293	5	2	3	6	9	3	-5	10	20	2	-15	1	3	-5	-4	7	0	33	16	0	0	-5	3	12	17	22	30	45	55	20	20			
FP-2294	6	2	3	5	10	-5	-6	5	23	-5	-14	5	6	-6	-8	5	0	33	16	0	0	-3	-2	12	17	22	30	45	55	20	20			
FP-2295	5	0	0	0	26	-3	13	0	-2	-15	-5	-4	0	-18	-2	-5	0	33	16	0	-3	-8	-8	12	16	25	38	48	58	20	20			
FP-2296	5	0	0	0	16	2	11	1	-5	-8	-8	-3	0	-10	-5	-2	0	33	16	0	-1	-5	-5	12	15	23	33	45	58	20	20			

DIAGNOSTICS - NO ENTRY REQUIRED

